

Vacuum is nothing, but everything to us



Leak detection
made easy

QualityTest™

- ▶ On-Screen prompts for easy operation
- ▶ Push-button self-calibration
- ▶ Highest sensitivity $5 \cdot 10^{-12}$ mbar l/s

Set the standard in
benchtop gas analysis

OmniStar™

- ▶ Turnkey operation
- ▶ Compact mass spec system
- ▶ PPB detection limits



PFEIFFER  **VACUUM**

Pfeiffer Vacuum Austria GmbH

Phone +43 (0) 1 8941 704 · Fax +43 (0) 1 8941 707 · office@pfeiffer-vacuum.at · www.pfeiffer-vacuum.at

SCAN d.o.o. Slovenija

Phone +386 (0) 4-27 50 200 Fax +386 (0) 4-27 50 540 · scan@siol.net · www.scan.si

scan

in
PFEIFFER VACUUM

VSE ZA VAKUUM

tel.: 04-27 50 200

fax.: 04-27 50 240

www.scan.si

scan@siol.net

www.pfeiffer-vacuum.de





TurboCube

The modular pumping station will fit
your application



- ▶ Easy adaptation to your vacuum process
- ▶ No additional control necessary
- ▶ Integration in Profibus control

PFEIFFER  **VACUUM**

Pfeiffer Vacuum Austria GmbH

Phone +43 (0) 1 8941 704 · Fax +43 (0) 1 8941 707 · office@pfeiffer-vacuum.at · www.pfeiffer-vacuum.net

SCAN d.o.o. Slovenija

Phone: +386 (0) 4-27 50 200 · Fax +386 (0) 4-27 50 240 · scan@siol.net · www.scan.si

www.pfeiffer-vacuum.net